


## POLOS 200 300 Options

Partnumber	Partname	Description	Picture
<b>Drain and Exhaust options</b>			
29243	Drainhose 1,5m NPP	Corrugated drainhose and connector, material NPP, length 5 m, connects to drainport	
26835	Drainhose 5m NPP	Corrugated drainhose and connector, material NPP, length 1,5 m, connects to drainport	
32226	PFA draintube	Corrugated hose fluoroplastic (PFA), l=1,5 m, d = 22mm, does not include P-FC-W8-N8A	
27271	T-Adapter for drain and exhaust connection	T-Adapter for drain and exhaust connection, material NPP, FNPT 1"-G1,5"-MNPT1", connects drain and exhaust to drainport	
27570	Exhaust port kit	Complete kit, incl. 5 m NPP Tube and P/N's 27271 and 26835	
<b>Dispense options</b>			
27021	PTFE/PFA injector line	Complete injector line, material Teflon / PFA, incl. nozzle 215-16, 32084, P-MC-W2-N1B, SBV, tubing and mounting on lid	
28527	Back Side Spray Nozzle	Backside spray nozzle with adjustable position for rinsing of chuck side of substrate, including standard 215-16 nozzle	
31420	Edge Bead Removal Nozzle	Edge bead removal spray nozzle (topside substrate) with adjustable position, including standard 215-16 nozzle	
31311	Pneumatic syringe arm + Polos200 Autolid	Pneumatic syringe arm + Polos200 Autolid for automatic closing of lid after dispensing of chemicals with syringedispense when static barrier plate is used	



**SPS-Europe B.V.**  
Midden Engweg 41  
3882 TS Putten  
The Netherlands  
Tel.: (31) 341 360 590  
Fax: (31) 341 360 589  
[info@sps-europe.com](mailto:info@sps-europe.com)

**S.P.S. Ltd.**  
Tweed Horizons Centre  
Newtown St. Boswells  
TD6 0SG Scotland  
Tel.: (44) 1835 822 455  
Fax: (44) 1835 822 055  
[info.uk@sps-europe.com](mailto:info.uk@sps-europe.com)



**S.P.S. bvba**  
Steenweg op Withof 5  
B-2960 St. Job in 't Goor  
Belgium  
Tel.: (32) 3 440 0895  
Fax: (32) 3 440 5181  
[info.be@sps-europe.com](mailto:info.be@sps-europe.com)

**S.P.S. Vertriebs GmbH**  
Rosenstrasse 10  
D-85053 Ingolstadt  
Germany  
Tel.: (49) 841 370 530  
Fax: (49) 841 370 5322  
[info.de@sps-europe.com](mailto:info.de@sps-europe.com)

**S.P.S. bvba**  
ZAC du Pont à Lunettes  
9, rue du Pont à Lunettes  
F- 69390 Vourles, France  
Tel.: (33) 4 72 31 78 35  
Fax: (33) 4 78 05 13 45  
[info.fr@sps-europe.com](mailto:info.fr@sps-europe.com)

**S.P.S. bvba**  
Via G. Verdi 18b  
27021 Bereguardo (PV)  
Italy  
Tel.: (39) 0382 920 739  
Fax: (39) 0382 920 738  
[info.it@sps-europe.com](mailto:info.it@sps-europe.com)

## POLOS 200 300 Options

Partnumber	Partname	Description	Picture
31312	Pneumatic syringe arm + Polos300 Autolid	Pneumatic syringe arm + Polos300 Autolid for automatic closing of lid after dispensing of chemicals with syringe dispense when static barrier plate is used	
	Dispense vessel	<ul style="list-style-type: none"> <li>• Full PTFE dispense vessel.</li> <li>• All PTFE/PFA wetted surfaces.</li> <li>• All connections on top of lid: easily reachable.</li> <li>• Can be used with and without chemical bottle.</li> <li>• Suitable for most commercially available chemical bottles, maximum outer dimensions bottle Ø 185mm x 375 mm height, please contact us for other sizes.</li> </ul>	
SPS1400	Dispense system for all Fluids	Dispense system for all fluids, including 2x30cc barrels, 2 boxes of 50 pcs. Needles, 1 box of 50 pcs. endcap barrels, 1 1000Y5152 Syringe adapter.	
SPS1415	Dispense system for watery fluids	Dispense system for watery fluids, including 2x30cc barrels, 2 boxes of 50 pcs. Needles, 1 box of 50 pcs. endcap barrels, 1 1000Y5152 Syringe adapter.	



**SPS-Europe B.V.**  
Midden Engweg 41  
3882 TS Putten  
The Netherlands  
Tel.: (31) 341 360 590  
Fax: (31) 341 360 589  
[info@sps-europe.com](mailto:info@sps-europe.com)

**S.P.S. Ltd.**  
Tweed Horizons Centre  
Newtown St. Boswells  
TD6 0SG Scotland  
Tel.: (44) 1835 822 455  
Fax: (44) 1835 822 055  
[info.uk@sps-europe.com](mailto:info.uk@sps-europe.com)



**S.P.S. bvba**  
Steenweg op Withof 5  
B-2960 St. Job in 't Goor  
Belgium  
Tel.: (32) 3 440 0895  
Fax: (32) 3 440 5181  
[info.be@sps-europe.com](mailto:info.be@sps-europe.com)

**S.P.S. Vertriebs GmbH**  
Rosenstrasse 10  
D-85053 Ingolstadt  
Germany  
Tel.: (49) 841 370 530  
Fax: (49) 841 370 5322  
[info.de@sps-europe.com](mailto:info.de@sps-europe.com)

**S.P.S. bvba**  
ZAC du Pont à Lunettes  
9, rue du Pont à Lunettes  
F- 69390 Vourles, France  
Tel.: (33) 4 72 31 78 35  
Fax: (33) 4 78 05 13 45  
[info.fr@sps-europe.com](mailto:info.fr@sps-europe.com)

**S.P.S. bvba**  
Via G. Verdi 18b  
27021 Bereguardo (PV)  
Italy  
Tel.: (39) 0382 920 739  
Fax: (39) 0382 920 738  
[info.it@sps-europe.com](mailto:info.it@sps-europe.com)

## POLOS 200 300 Options

Partnumber	Partname	Description	Picture
SHSK	Syringe Holder Starter Kit	Includes starting Dispense Holder Kit : <ul style="list-style-type: none"> <li>• 5 30cc Volume Dispense Barrel</li> <li>• 2 White clear Polypro Plungers</li> <li>• 5 18 gauge St. St. Needles</li> <li>• 5 25 gauge St. St. Needles .</li> <li>• 5 18 gauge Polypro Flexible Needles</li> <li>• 5 25 gauge Polypro Flexible Needles</li> <li>• 5 Needle End Caps</li> </ul> Note: Consumable Kits with different Needle diameters for accurate choice depending on Liquid Viscosity etc. are available at request, starter Kit is a set of the most commonly used parts	
31363	Dispense system start/stop adapter	Dispense system start/stop adapter, Dsub9 Polos-EFD (Pin 1-5; 2-7)	
<b>Lid options</b>			
32225	Pneumatic Door Lock Polos200 new rev.	Programmable pneumatic safety doorlock, increases safety during processes with dangerous chemicals	
32077	Pneumatic Door Lock Polos300 new rev.	Programmable pneumatic safety doorlock, increases safety during processes with dangerous chemicals	
29644	Polos300 Autolid	Automatic Vertical Lid Opener for Polos200, prevents dripping of fluids from Lid onto substrates	
29801	Polos200 Autolid	Automatic Vertical Lid Opener for Polos300, prevents dripping of fluids from Lid onto substrates	



**SPS-Europe B.V.**  
Midden Engweg 41  
3882 TS Putten  
The Netherlands  
Tel.: (31) 341 360 590  
Fax: (31) 341 360 589  
[info@sps-europe.com](mailto:info@sps-europe.com)

**S.P.S. Ltd.**  
Tweed Horizons Centre  
Newtown St. Boswells  
TD6 0SG Scotland  
Tel.: (44) 1835 822 455  
Fax: (44) 1835 822 055  
[info.uk@sps-europe.com](mailto:info.uk@sps-europe.com)



**S.P.S. bvba**  
Steenweg op Withof 5  
B-2960 St. Job in 't Goor  
Belgium  
Tel.: (32) 3 440 0895  
Fax: (32) 3 440 5181  
[info.be@sps-europe.com](mailto:info.be@sps-europe.com)

**S.P.S. Vertriebs GmbH**  
Rosenstrasse 10  
D-85053 Ingolstadt  
Germany  
Tel.: (49) 841 370 530  
Fax: (49) 841 370 5322  
[info.de@sps-europe.com](mailto:info.de@sps-europe.com)

**S.P.S. bvba**  
ZAC du Pont à Lunettes  
9, rue du Pont à Lunettes  
F-69390 Vourles, France  
Tel.: (33) 4 72 31 78 35  
Fax: (33) 4 78 05 13 45  
[info.fr@sps-europe.com](mailto:info.fr@sps-europe.com)

**S.P.S. bvba**  
Via G. Verdi 18b  
27021 Bereguardo (PV)  
Italy  
Tel.: (39) 0382 920 739  
Fax: (39) 0382 920 738  
[info.it@sps-europe.com](mailto:info.it@sps-europe.com)

## POLOS 200 300 Options

Partnumber	Partname	Description	Picture
30025	Static Barrier Plate	Barrier plate for improvement of coating uniformity, mounted on the inside of the lid. Not in combination with ACD or syringe holder	
<b>Centring Aids</b>			
29756	Polos200 F-S3"/75mm	Centering aid for Polos200, for 3" / 75 mm diameter substrate	
26842	Polos200 F-S4"/100mm	Centering aid for Polos200, for 4" / 100 mm diameter substrate	
26843	Polos200 F-S5"/125mm	Centering aid for Polos200, for 5" / 125 mm diameter substrate	
26844	Polos200 F-S6"/150mm	Centering aid for Polos200, for 6" / 150 mm diameter substrate	
26460	Polos200 F-S8"/200mm	Centering aid for Polos200, for 8" / 200 mm diameter substrate	
27436	Polos300 F-4"/100mm	Centering aid for Polos200, for 4" / 100 mm diameter substrate	
27437	Polos300 F-5"/125mm	Centering aid for Polos200, for 5" / 125 mm diameter substrate	
27438	Polos300 F-6"/150mm	Centering aid for Polos200, for 6" / 150 mm diameter substrate	
26926	Polos300 F-8"/200mm	Centering aid for Polos200, for 8" / 200 mm diameter substrate	
26925	Polos300 F-12"/300	Centering aid for Polos300, for 12" / 300 mm diameter substrate	



**SPS-Europe B.V.**  
Midden Engweg 41  
3882 TS Putten  
The Netherlands  
Tel.: (31) 341 360 590  
Fax: (31) 341 360 589  
[info@sps-europe.com](mailto:info@sps-europe.com)

**S.P.S. Ltd.**  
Tweed Horizons Centre  
Newtown St. Boswells  
TD6 0SG Scotland  
Tel.: (44) 1835 822 455  
Fax: (44) 1835 822 055  
[info.uk@sps-europe.com](mailto:info.uk@sps-europe.com)


**S.P.S. bvba**  
Steenweg op Withof 5  
B-2960 St. Job in 't Goor  
Belgium  
Tel.: (32) 3 440 0895  
Fax: (32) 3 440 5181  
[info.be@sps-europe.com](mailto:info.be@sps-europe.com)

**S.P.S. Vertriebs GmbH**  
Rosenstrasse 10  
D-85053 Ingolstadt  
Germany  
Tel.: (49) 841 370 530  
Fax: (49) 841 370 5322  
[info.de@sps-europe.com](mailto:info.de@sps-europe.com)

**S.P.S. bvba**  
ZAC du Pont à Lunettes  
9, rue du Pont à Lunettes  
F-69390 Vourles, France  
Tel.: (33) 4 72 31 78 35  
Fax: (33) 4 78 05 13 45  
[info.fr@sps-europe.com](mailto:info.fr@sps-europe.com)

**S.P.S. bvba**  
Via G. Verdi 18b  
27021 Bereguardo (PV)  
Italy  
Tel.: (39) 0382 920 739  
Fax: (39) 0382 920 738  
[info.it@sps-europe.com](mailto:info.it@sps-europe.com)

## POLOS 200 300 Options

Partnumber	Partname	Description	Picture
<b>General options</b>			
	Option Windows SW / Schnittstelle	Avialable starting spring 2008	
VP80	Vacuum Pump	Vacuum Pump, Oil free, Rotary Vane type, 230 VAC 50Hz, 100 L/min. 84kPa - 90kPa	



**SPS-Europe B.V.**  
Midden Engweg 41  
3882 TS Putten  
The Netherlands  
Tel.: (31) 341 360 590  
Fax: (31) 341 360 589  
[info@sps-europe.com](mailto:info@sps-europe.com)

**S.P.S. Ltd.**  
Tweed Horizons Centre  
Newtown St. Boswells  
TD6 0SG Scotland  
Tel.: (44) 1835 822 455  
Fax: (44) 1835 822 055  
[info.uk@sps-europe.com](mailto:info.uk@sps-europe.com)

**S.P.S. bvba**  
Steenweg op Withof 5  
B-2960 St. Job in 't Goor  
Belgium  
Tel.: (32) 3 440 0895  
Fax: (32) 3 440 5181  
[info.be@sps-europe.com](mailto:info.be@sps-europe.com)

**S.P.S. Vertriebs GmbH**  
Rosenstrasse 10  
D-85053 Ingolstadt  
Germany  
Tel.: (49) 841 370 530  
Fax: (49) 841 370 5322  
[info.de@sps-europe.com](mailto:info.de@sps-europe.com)

**S.P.S. bvba**  
ZAC du Pont à Lunettes  
9, rue du Pont à Lunettes  
F- 69390 Vourles, France  
Tel.: (33) 4 72 31 78 35  
Fax: (33) 4 78 05 13 45  
[info.fr@sps-europe.com](mailto:info.fr@sps-europe.com)

**S.P.S. bvba**  
Via G. Verdi 18b  
27021 Bereguardo (PV)  
Italy  
Tel.: (39) 0382 920 739  
Fax: (39) 0382 920 738  
[info.it@sps-europe.com](mailto:info.it@sps-europe.com)